

SAFETY DATA SHEET

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Trade name or designation

of the mixture

McCulloch 4-stroke oil 5W-30

Registration number

Synonyms None.

577 61 64-22 (1L) **Product code** 02-March-2018 Issue date

Version number 01 **Revision date** Supersedes date

1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified uses Lubrication of 4-stroke engine.

Uses advised against Use in accordance with supplier's recommendations.

1.3. Details of the supplier of the safety data sheet

Husqvarna AB Company name

Drottninggatan 2

561 82 Huskvarna, Sweden

Telephone +46 (0)36-14 65 00 Contact person **Accessory Department**

E-mail sds.info@husqvarnagroup.com

1.4. Emergency telephone

number

+1-760-476-3961 (Access code 333721)

General in EU 112 (Available 24 hours a day. SDS/Product information may not be available for

the Emergency Service.)

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

The mixture has been assessed and/or tested for its physical, health and environmental hazards and the following classification applies.

Classification according to Regulation (EC) No 1272/2008 as amended

This mixture does not meet the criteria for classification according to Regulation (EC) 1272/2008 as amended.

Hazard summary Occupational exposure to the substance or mixture may cause adverse health effects.

2.2. Label elements

Label according to Regulation (EC) No. 1272/2008 as amended

Hazard pictograms None. None. Signal word

The mixture does not meet the criteria for classification. **Hazard statements**

Precautionary statements

Prevention Not assigned. Response Not assigned. Not assigned. Storage Not assigned. **Disposal**

EUH210 - Safety data sheet available on request. Supplemental label information

2.3. Other hazards Not a PBT or vPvB substance or mixture.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

McCulloch 4-stroke oil 5W-30 SDS UK

General information

Chemical name	%	CAS-No. / EC No.	REACH Registration No.	Index No.	Notes
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	>=25 - =<50	72623-87-1 276-738-4	01-2119474889-13-XXXX	649-483-00-5	
Classification: -					L
Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based	>=10 - =<25	72623-87-1 276-738-4	01-2119474889-13-XXXX	649-483-00-5	
Classification: Asp. Tox. 1;	H304				L
Distillates (petroleum), hydrotreated heavy paraffinic	10	64742-54-7 265-157-1	01-2119484627-25-XXXX	649-467-00-8	
Classification: Asp. Tox. 1;	H304				L
Bis(nonylphenyl)amine	<= 3	36878-20-3 253-249-4	01-2119488911-28-XXXX	-	
Classification: Aquatic Chr	onic 4;H413	3			

Composition comments

All concentrations are in percent by weight unless ingredient is a gas. Gas concentrations are in percent by volume. The full text for all H-statements is displayed in section 16.

IP346 method DMSO extract for base oil substances: <3.0%.

SECTION 4: First aid measures

General information Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

4.1. Description of first aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Wash off with soap and water. Get medical attention if irritation develops and persists. Skin contact

Exposure may cause temporary irritation, redness, or discomfort.

Eve contact Rinse with water. Get medical attention if irritation develops and persists.

Rinse mouth. Get medical attention if symptoms occur. Ingestion

Treat symptomatically.

4.2. Most important symptoms

and effects, both acute and

delayed

4.3. Indication of any immediate medical attention and special treatment needed

SECTION 5: Firefighting measures

General fire hazards No unusual fire or explosion hazards noted.

5.1. Extinguishing media

Suitable extinguishing

media

Water fog. Foam. Dry chemical powder. Carbon dioxide (CO2).

Unsuitable extinguishing

media

Do not use water jet as an extinguisher, as this will spread the fire.

5.2. Special hazards arising from the substance or mixture During fire, gases hazardous to health may be formed.

5.3. Advice for firefighters

Special protective equipment for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Special fire fighting procedures

Move containers from fire area if you can do so without risk.

Specific methods

Use standard firefighting procedures and consider the hazards of other involved materials.

SECTION 6: Accidental release measures

6.1. Personal precautions, protective equipment and emergency procedures

For non-emergency

personnel

Keep unnecessary personnel away.

For emergency responders Keep unnecessary personnel away. Use personal protection recommended in Section 8 of the

SDS.

6.2. Environmental precautions Avoid discharge into drains, water courses or onto the ground.

McCulloch 4-stroke oil 5W-30 SDS UK 2/7

6.3. Methods and material for containment and cleaning up

The product is immiscible with water and will spread on the water surface.

Large Spills: Stop the flow of material, if this is without risk. Dike the spilled material, where this is possible. Absorb in vermiculite, dry sand or earth and place into containers. Following product recovery, flush area with water.

Small Spills: Wipe up with absorbent material (e.g. cloth, fleece). Clean surface thoroughly to remove residual contamination.

Never return spills to original containers for re-use. For waste disposal, see section 13 of the SDS. For personal protection, see section 8 of the SDS. For waste disposal, see section 13 of the SDS.

6.4. Reference to other sections

sections

SECTION 7: Handling and storage

7.1. Precautions for safe

handling

Do not cut, weld, solder, drill, grind, or expose containers to heat, flame, sparks, or other sources of ignition. Avoid prolonged exposure. Observe good industrial hygiene practices.

7.2. Conditions for safe storage, including any incompatibilities

7.3. Specific end use(s)

Store in original tightly closed container. Store away from incompatible materials (see section 10 of the SDS).

Lubrication of 4-stroke engine.

SECTION 8: Exposure controls/personal protection

8.1. Control parameters

Occupational exposure limits

No exposure limits noted for ingredient(s).

Biological limit values

No biological exposure limits noted for the ingredient(s).

Recommended monitoring

procedures

Follow standard monitoring procedures.

Derived no effect levels (DNELs)

General Population

Components	Value	Assessment factor	Notes
Bis(nonylphenyl)amine (CAS 36878-20-	-3)		
Long-term, Systemic, Dermal	2.5 mg/kg bw/day	400	Repeated dose toxicity
Long-term, Systemic, Oral	0.25 mg/kg bw/day	400	Repeated dose toxicity
Distillates (petroleum), hydrotreated hea	avy paraffinic (CAS 64742-54-7)		
Long-term, Systemic, Oral	0.74 mg/kg bw/day		
Lubricating oils (petroleum), C20-50, hy	drotreated neutral oil-based (CA	AS 72623-87-1)	
Long-term, Systemic, Oral	0.74 mg/kg bw/day		

Workers

Components	Value	Assessment factor	Notes	
Bis(nonylphenyl)amine (CAS 36878-20-3)				
Long-term, Systemic, Dermal	5 mg/kg bw/day	200	Repeated dose toxicity	
Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)				
Long-term, Local, Inhalation Long-term, Systemic, Dermal Long-term, Systemic, Inhalation	5.6 mg/m3 1 mg/kg bw/day 2.7 mg/m3			
Lubricating oils (petroleum), C20-50, hydrotre	ated neutral oil-based (CAS 7	2623-87-1)		
Long-term, Local, Inhalation Long-term, Systemic, Inhalation	5.6 mg/m3 2.7 mg/m3			

Predicted no effect concentrations (PNECs)

Components	Value	Assessment factor Notes	
Bis(nonylphenyl)amine (CAS 36878-20	1-3)		
Freshwater	0.1 mg/l	1000	
Marine water	0.01 mg/l	10000	
Sediment (freshwater)	132000 mg/kg		
Soil	263000 mg/kg		
STP	1 mg/l 100		
Distillates (petroleum), hydrotreated he	avy paraffinic (CAS 64742-54-	7)	
Secondary poisoning	9.33 mg/kg		
Lubricating oils (petroleum), C20-50, hy	ydrotreated neutral oil-based (C	CAS 72623-87-1)	
Secondary poisoning	9.33 mg/kg		

8.2. Exposure controls

McCulloch 4-stroke oil 5W-30 SDS UK

Appropriate engineering

controls

Good general ventilation (typically 10 air changes per hour) should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

Individual protection measures, such as personal protective equipment

Personal protection equipment should be chosen according to the CEN standards and in **General information**

discussion with the supplier of the personal protective equipment.

Eye/face protection Wear safety glasses with side shields (or goggles).

Skin protection

- Hand protection Wear appropriate chemical resistant gloves.

Wear suitable protective clothing. - Other

In case of insufficient ventilation, wear suitable respiratory equipment. Respiratory protection

Thermal hazards Wear appropriate thermal protective clothing, when necessary.

Always observe good personal hygiene measures, such as washing after handling the material Hygiene measures

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

Environmental exposure

controls

Environmental manager must be informed of all major releases.

SECTION 9: Physical and chemical properties

9.1. Information on basic physical and chemical properties

Appearance

Physical state Liquid.

Form Clear. Oily liquid.

Colour Brown. Slight. Odour

Odour threshold Not available.

Ha

Melting point/freezing point < -36 °C (< -32.8 °F) Initial boiling point and boiling > 300 °C (> 572 °F)

range

Flash point > 200.0 °C (> 392.0 °F) Open cup (ASTM D 92)

Not available. **Evaporation rate** Not applicable. Flammability (solid, gas) Upper/lower flammability or explosive limits

Flammability limit - lower

Not available.

(%)

Flammability limit - upper

Not available.

< 0.01 kPa (20 °C) Vapour pressure Vapour density Not available. 0.85 (Water = 1) Relative density Immiscible in water. Solubility(ies) Not available. Partition coefficient

(n-octanol/water)

Auto-ignition temperature > 300 °C (> 572 °F) > 300 °C (> 572 °F) **Decomposition temperature**

11.3 cSt (100 °C (212 °F)) **Viscosity**

65.5 cSt (40 °C (104 °F))

Explosive properties Not explosive. **Oxidising properties** Not oxidising.

No relevant additional information available. 9.2. Other information

SECTION 10: Stability and reactivity

The product is stable and non-reactive under normal conditions of use, storage and transport. 10.1. Reactivity

10.2. Chemical stability Material is stable under normal conditions.

10.3. Possibility of hazardous No dangerous reaction known under conditions of normal use.

reactions

McCulloch 4-stroke oil 5W-30 SDS UK 10.4. Conditions to avoid Contact with incompatible materials.

Strong oxidising agents. 10.5. Incompatible materials

No hazardous decomposition products are known. 10.6. Hazardous

decomposition products

SECTION 11: Toxicological information

General information Occupational exposure to the substance or mixture may cause adverse effects.

Information on likely routes of exposure

Prolonged inhalation may be harmful. Inhalation

Frequent or prolonged contact may defat and dry the skin, leading to discomfort and dermatitis. Skin contact

May cause an allergic skin reaction.

Eye contact Direct contact with eyes may cause temporary irritation.

May cause discomfort if swallowed. However, ingestion is not likely to be a primary route of Ingestion

occupational exposure.

Exposure may cause temporary irritation, redness, or discomfort. **Symptoms**

11.1. Information on toxicological effects

Acute toxicity

Components **Test Results** Species

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1)

Acute

Dermal

LD50 Rabbit > 2000 mg/kg, 24 Hours

Inhalation

Aerosol

LC50 Rat > 5 mg/l, 4 Hours

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation

Due to partial or complete lack of data the classification is not possible.

Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

Respiratory sensitisation Due to partial or complete lack of data the classification is not possible. Skin sensitisation Due to partial or complete lack of data the classification is not possible.

Due to partial or complete lack of data the classification is not possible. Germ cell mutagenicity Carcinogenicity Due to partial or complete lack of data the classification is not possible. Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Reproductive toxicity

Due to partial or complete lack of data the classification is not possible.

Aspiration hazard Due to partial or complete lack of data the classification is not possible.

Mixture versus substance

information

No information available.

Other information Prolonged and repeated contact with used oil may cause serious skin diseases, such as

dermatitis and skin cancer.

SECTION 12: Ecological information

Based on available data, the classification criteria are not met for hazardous to the aquatic 12.1. Toxicity

environment.

Components **Species Test Results**

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1)

Aquatic

Acute

NOEL Algae Pseudokirchneriella subcapitata >= 100 mg/l, 72 hours Crustacea EL50 Daphnia magna > 1000 mg/l, 48 hours LL50 Fish Pimephales promelas > 100 mg/l, 96 hours

12.2. Persistence and The product is expected to be biodegradable.

degradability

McCulloch 4-stroke oil 5W-30 SDS UK 5/7

942453 Version #: 01 Revision date: -Issue date: 02-March-2018 **12.3. Bioaccumulative potential** No data available.

Partition coefficient Not available.

n-octanol/water (log Kow)

Bioconcentration factor (BCF) Not available.

12.4. Mobility in soil No data available.

12.5. Results of PBT

Not a PBT or vPvB substance or mixture.

and vPvB assessment

12.6. Other adverse effects Oil spills are generally hazardous to the environment.

SECTION 13: Disposal considerations

13.1. Waste treatment methods

Residual waste Dispose of in accordance with local regulations. Empty containers or liners may retain some

product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

Contaminated packagingSince emptied containers may retain product residue, follow label warnings even after container is

emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

EU waste code The Waste code should be assigned in discussion between the user, the producer and the waste

disposal company.

Disposal methods/information Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

Special precautionsDispose in accordance with all applicable regulations.

SECTION 14: Transport information

ADR

14.1. - 14.6.: Not regulated as dangerous goods.

RID

14.1. - 14.6.: Not regulated as dangerous goods.

ADN

14.1. - 14.6.: Not regulated as dangerous goods.

IATA

14.1. - 14.6.: Not regulated as dangerous goods.

IMDG

14.1. - 14.6.: Not regulated as dangerous goods.

14.7. Transport in bulk Not established according to Annex II of

MARPOL 73/78 and the IBC

Code

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

EU regulations

Regulation (EC) No. 1005/2009 on substances that deplete the ozone layer, Annex I and II, as amended

Not listed.

Regulation (EC) No. 850/2004 On persistent organic pollutants, Annex I as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 1 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 2 as amended

Not listed.

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex I, Part 3 as amended

Not listed

Regulation (EU) No. 649/2012 concerning the export and import of dangerous chemicals, Annex V as amended

Not listed.

Regulation (EC) No. 166/2006 Annex II Pollutant Release and Transfer Registry, as amended

Not listed.

Regulation (EC) No. 1907/2006, REACH Article 59(10) Candidate List as currently published by ECHA

Not listed.

Authorisations

Regulation (EC) No. 1907/2006, REACH Annex XIV Substances subject to authorisation, as amended

Not listed.

McCulloch 4-stroke oil 5W-30 SDS UK

Restrictions on use

Regulation (EC) No. 1907/2006, REACH Annex XVII Substances subject to restriction on marketing and use as amended

Distillates (petroleum), hydrotreated heavy paraffinic (CAS 64742-54-7)

Lubricating oils (petroleum), C20-50, hydrotreated neutral oil-based (CAS 72623-87-1)

Directive 2004/37/EC: on the protection of workers from the risks related to exposure to carcinogens and mutagens at work, as amended.

Not listed.

Other EU regulations

Directive 2012/18/EU on major accident hazards involving dangerous substances, as amended

Not listed.

Other regulations The product is classified and labelled in accordance with Regulation (EC) 1272/2008 (CLP

Regulation) as amended. This Safety Data Sheet complies with the requirements of Regulation

(EC) No 1907/2006, as amended.

National regulations Follow national regulation for work with chemical agents. 15.2. Chemical safety No Chemical Safety Assessment has been carried out.

assessment

SECTION 16: Other information

List of abbreviations

PBT: Persistent, bioaccumulative, toxic. vPvB: very Persistent, very Bioaccumulative.

EL50: Effective level. 50%. LC50: Lethal Concentration, 50%.

LD50: Lethal Dose, 50%. LL50: Lethal level, 50%.

NOEL: No observed effect level.

ECHA CHEM References

Information on evaluation method leading to the classification of mixture

The classification for health and environmental hazards is derived by a combination of calculation

methods and test data, if available.

Full text of any H-statements not written out in full under

Sections 2 to 15

Disclaimer

H304 May be fatal if swallowed and enters airways.

H413 May cause long lasting harmful effects to aquatic life.

Training information Follow training instructions when handling this material.

Husqvarna AB cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

McCulloch 4-stroke oil 5W-30 SDS UK